

Fishery Bulletin Index

Volume 104(1–4), 2006

List of titles

104(1)

- 1 Precision and accuracy of fish length measurements obtained with two visual underwater methods, by Marie-Joëlle Rochet, Jean-François Cadiou, and Verena M. Trenkel
- 10 The effect of predation (current and historical) by humpback whales (*Megaptera novaeangliae*) on fish abundance near Kodiak Island, Alaska, by Briana H. Witteveen, Robert J. Foy, and Kate M. Wynne
- 21 Variation in trawl geometry due to unequal warp length, by Kenneth L. Weinberg and David A. Somerton
- 35 The effect of autotrawl systems on the performance of a survey trawl, by Stan Kotwicki, Kenneth L. Weinberg, and David A. Somerton
- 46 The fishery for California market squid (*Loligo opalescens*) (Cephalopoda: Myopsida), from 1981 through 2003, by Louis D. Zeidberg, William M. Hamner, Nikolay P. Nezhlin, and Annette Henry
- 60 Variability in supply and cross-shelf transport of pink shrimp (*Farfantepenaeus duorarum*) postlarvae into western Florida Bay, by Maria M. Criales, John D. Wang, Joan A. Browder, Michael B. Robblee, Thomas L. Jackson, and Clinton Hittle
- 75 Biology and assessment of the painted sweetlips (*Diagramma pictum* (Thunberg, 1792)) and the spangled emperor (*Lethrinus nebulosus* (Forsskal, 1775)) in the southern Arabian Gulf, by Edwin M. Grandcourt, Thabit Z. Al Abdessalaam, Ahmed T. Al Shamsi, and Franklin Francis
- 89 A catch-free stock assessment model with application to goliath grouper (*Epinephelus itajara*) off southern Florida, by Clay E. Porch, Anne-Marie Eklund, and Gerald P. Scott
- 102 Fish assemblages found in tidal-creek and seagrass habitats in the Suwannee River estuary, by Troy D. Tuckey and Mark Dehaven
- 118 Prevalence, intensity, and effect of a nematode (*Philometra saltatrix*) in the ovaries of bluefish (*Pomatomus saltatrix*), by Lora M. Clarke, Alistair D. M. Dove, and David O. Conover

- 125 Duration of unassisted swimming activity for spotted dolphin (*Stenella attenuata*) calves: implications for mother-calf separation during tuna purse-seine sets, by Elizabeth F. Edwards

- 136 Population structure and variance effective size of red snapper (*Lutjanus campechanus*) in the northern Gulf of Mexico, by Eric Saillant and John R. Gold

- 149 The relationship between smolt and postsmolt growth for Atlantic salmon (*Salmo salar*) in the Gulf of St. Lawrence, by Kevin D. Friedland, Lora M. Clarke, Jean-Denis Dutil, and Matti Salminen

104(2)

- 159 Spawning season, maturity sizes, and fecundity in blacktail comber (*Serranus atricauda*) (Serranidae) from the eastern-central Atlantic, by Mercedes García-Díaz, José A. González, María J. Lorente, and Victor M. Tuset

- 167 Benthic invertebrates that form habitat on deep banks off southern California, with special reference to deep sea coral, by Brian N. Tissot, Mary M. Yoklavich, Milton S. Love, Keri York, and Mark Amend

- 182 A key to selected rockfishes (*Sebastes* spp.) based on mitochondrial DNA restriction fragment analysis, by Zhuozhuo Li, Andrew K. Gray, Milton S. Love, Akira Goto, Takashi Asahida, and Anthony J. Gharrett

- 197 Variation in yellowfin tuna (*Thunnus albacares*) catches related to El Niño-Southern Oscillation events at the entrance to the Gulf of California, by Ernesto Torres-Orozco, Arturo Muhlia-Melo, Armando Trasviña, and Sofía Ortega-García

- 204 Estimating the encounter rate of Atlantic capelin (*Mallotus villosus*) with fish eggs, based on stomach content analysis, by Pierre Pepin

- 215 A production modeling approach to the assessment of the horseshoe crab (*Limulus polyphemus*) population in Delaware Bay, by Michelle L. Davis, Jim Berkson, and Marcella Kelly

- 226 Biodiversity as an index of regime shift in the eastern Bering Sea, by Gerald R. Hoff

- 238 *Triglops dorothy*, a new species of sculpin (Teleostei: Scorpaeniformes: Cottidae) from the southern Sea of Okhotsk, by Theodore W. Pietsch and James W. Orr

- 247 A comparison of two fishery independent survey programs used to define the population structure of American lobster (*Homarus americanus*) in the Gulf of Maine, by Yong Chen, Sally Sherman, Carl Wilson, John Sowles, and Minoru Kanaiwa

- 256** Juvenile fish assemblages collected on unconsolidated sediments of the southeast United States continental shelf, by Harvey J. Walsh, Katrin E. Marancik, and Jonathan A. Hare
- 278** Growth and maturity of salmon sharks (*Lamna ditropis*) in the eastern and western North Pacific, and comments on back-calculation methods, by Kenneth J. Goldman and John A. Musick
- 293** Potential causes of mortality for horseshoe crabs (*Limulus polyphemus*) during the biomedical bleeding process, by Lenka Hurton and Jim Berkson
- 299** A study of tagging methods for the sea cucumber *Cucumaria frondosa* in the waters off Maine, by Sheril Kirshenbaum, Scott Feindel, and Yong Chen
- 303** Parameterizing probabilities for estimating age-composition distributions for mixture models, by Daniel K. Kimura and Martin W. Dorn
- 306** Morphometric differentiation in small juveniles of the pink spotted shrimp (*Farfantepenaeus brasiliensis*) and the southern pink shrimp (*F. notialis*) in the Yucatan Peninsula, Mexico, by Marco A. May-Kú, Uriel Ordóñez-López, and Omar Defeo
- 311** Exploring intraspecific life history patterns in sharks, by Jason M. Cope
- 104(3)**
- 323** Standard and routine metabolic rates of juvenile sandbar sharks (*Carcharhinus plumbeus*), including the effects of body mass and acute temperature change, by W. Wesley Dowd, Richard W. Brill, Peter G. Bushnell, and John A. Musick
- 332** Estimating consumption rates of juvenile sandbar sharks (*Carcharhinus plumbeus*) in Chesapeake Bay, Virginia, using a bioenergetics model, W. Wesley Dowd, Richard W. Brill, Peter G. Bushnell, and John A. Musick
- 343** Depredation of catch by bottlenose dolphins (*Tursiops truncatus*) in the Florida king mackerel (*Scomberomorus cavalla*) troll fishery, by Erika A. Zollett and Andrew J. Read
- 350** Reproductive biology, spawning season, and growth of female rex sole (*Glyptocephalus zachirus*) in the Gulf of Alaska, by Alisa A. Abookire
- 360** How much does the fishery at Apo Island benefit from spillover of adult fish from the adjacent marine reserve?, by Rene A. Abesamis, Angel C. Alcalá, and Garry R. Russ
- 376** Comparing the identification of southern California juvenile rockfishes (genus *Sebastes* spp.) by restriction site analysis of the mitochondrial ND3/ND4 region and by morphological characteristics, by Zhuozhuo Li, Mary M. Nishimoto, Milton S. Love, and Anthony J. Gharrett
- 383** Potential use of offshore marine structures in rebuilding an overfished rockfish species, bocaccio (*Sebastes paucispinis*), by Milton S. Love, Donna M. Schroeder, William Lenarz, Alec MacCall, Ann Scarborough Bull, and Lyman Thorsteinson
- 391** Do oil and gas platforms off California reduce recruitment of bocaccio (*Sebastes paucispinis*) to natural habitat? An analysis based on trajectories derived from high-frequency radar, by Brian M. Emery, Libe Washburn, Milton S. Love, Mary M. Nishimoto, and J. Carter Ohlmann
- 401** Behavioral ontogeny in larvae and early juveniles of the giant trevally (*Caranx ignobilis*) (Pisces: Carangidae), by Jeffrey M. Leis, Amanda C. Hay, Domine L. Clark, I-Shiung Chen, and Kwang-Tsao Shao
- 415** Diurnal and nocturnal temperatures for Atlantic salmon postsmolts (*Salmo salar* L.) during their early marine life, by David G. Reddin, Peter Downton, and Kevin D. Friedland
- 428** A prior for steepness in stock-recruitment relationships, based on an evolutionary persistence principle, by Xi He, Marc Mangel, and Alec MacCall
- 434** Survival of white marlin (*Tetrapturus albidus*) released from commercial pelagic longline gear in the western North Atlantic, by David W. Kerstetter and John E. Graves
- 445** Application of two methods for determining diet of northern fur seals (*Callorhinus ursinus*), by Carolyn J. Gudmundson, Tonya K. Zeppelin, and Rolf R. Ream
- 456** Abundance of adult horseshoe crabs (*Limulus polyphemus*) in Delaware Bay estimated from a bay-wide mark-recapture study, by David R. Smith, Michael J. Millard, and Sheila Eyler
- 465** Estimates of commercial longline selectivity for Pacific halibut (*Hippoglossus stenolepis*) from multiple marking experiments, by William G. Clark and Stephen M. Kaimmer
- 468** Hatching date, nursery grounds, and early growth of juvenile walleye pollock (*Theragra chalcogramma*) off northern Japan, by Tsutomu Hattori, Akira Nishimura, Yoji Narimatsu, and Daiji Kitagawa

- 476** Development of larval and early juvenile penpoint gunnel (*Apodichthys flavidus*) (family: Pholidae), by Lisa G. De Forest and Morgan S. Busby
- 482** Spatial and temporal patterns in the bycatch of sea-birds in the Argentinian longline fishery, by Patricia Gandini and Esteban Frere
- 104(4)**
- 489** Geographical differences in the feeding patterns of red rockfish (*Sebastes capensis*) along South American coasts, by Claudio A. Barrientos, M. Teresa González, and Carlos A. Moreno
- 498** The use of otolith morphology to indicate the stock structure of common coral trout (*Plectropomus leopardus*) on the Great Barrier Reef, Australia, by Mikaela A. J. Bergenius, Gavin A. Begg, and Bruce D. Mapstone
- 512** Biological characteristics and mortality of western butterfish (*Pentapodus vitta*), an abundant bycatch species of prawn trawling and recreational fishing in a large subtropical embayment, by Jason C. Mant, Michael J. Moran, Stephen J. Newman, S. Alex Hesp, Norman G. Hall, and Ian C. Potter
- 521** The use of multibeam sonar mapping techniques to refine population estimates for the endangered white abalone (*Haliotis sorenseni*), by John Butler, Melissa Neuman, Deanna Pinkard, Rikk Kvitek, and Guy Cochrane
- 533** Experiments in gear configuration to reduce bycatch in an estuarine squid-trawl fishery, by James P. Scandol, Tony J. Underwood, and Matt K. Broadhurst
- 542** The relationships between fish assemblages and the amount of bottom horizontal beam exposed at California oil platforms: fish habitat preferences at man-made platforms and (by inference) at natural reefs, by Milton S. Love, and Anne York
- 550** A Bayesian method for identification of stock mixtures from molecular marker data, by Jukka Corander, Pekka Marttinen, and Samu Mäntyniemi
- 559** The migration patterns of bluefish (*Pomatomus saltatrix*) along the Atlantic coast determined from tag recoveries, by Gary R. Shepherd, Joshua Moser, David Deuel, and Pam Carlsen
- 571** Evaluating light-based geolocation for estimating demersal fish movements in high latitudes, by Andrew C. Seitz, Brenda L. Norcross, Derek Wilson, and Jennifer L. Nielsen
- 579** Abundance and distribution of whale sharks (*Rhinocodon typus*) in the northern Gulf of Mexico, by Carolyn M. Burks, William B. Driggers III, and Keith D. Mullin
- 585** Effects of a simulated fishing moratorium on the stock assessment of red porgy (*Pagrus pagrus*), by Michelle L. Davis, and Jim Berkson
- 593** Habitat use of the inner continental shelf off southern New Jersey by summer-spawned bluefish (*Pomatomus saltatrix*), by David L. Taylor, Peter M. Rowe, and Kenneth W. Able
- 605** Seasonal and size-based predation on two species of squid by four fish predators on the Northwest Atlantic continental shelf, by Michelle D. Staudinger
- 616** Evidence for resource partitioning and competition in nursery estuaries by juvenile flatfish in Oregon and Washington, by Christopher N. Rooper, Donald R. Gunderson, and David A. Armstrong
- 623** Length-specific brood size and winter parturition in pink seaperch (*Zalembeius rosaceus*) (Perciformes: Embiotocidae), by Lori H. LaPlante
- 626** Aging fish otoliths recovered from Pacific harbor seal (*Phoca vitulina*) fecal samples, by Susan D. Riemer and Robert Mikus
- 631** Habitat, age, and diet of a forage fish in southeastern Alaska: Pacific sandfish (*Trichodon trichodon*), by John F. Thedinga, Scott W. Johnson, and Donald G. Mortensen
- 638** Genetic diversity of yellow grouper (*Epinephelus awoara*) determined by random amplified polymorphic DNA (RAPD) analysis, by Satyendra K. Upadhyay, Wang Jun, Su Yong-Quan, Ding Shao-Xiong, and Sonal Chaturvedi
- 643** Improving the precision of otolith-based age estimates for Greenland halibut (*Reinhardtius hippoglossoides*) with preparation methods adapted for fragile sagittae, by Jacob L. Gregg, Delsa M. Anderl, and Daniel K. Kimura